



Rimoldi[®] by



QUALITY RECOGNIZED WORLDWIDE AT VERY COMPETITIVE PRICE




ALTAIR

5.200 RPM

Vertical cup seamer machine, for executing very elastic simple and double locked chainstitch seams. This class also includes machines which execute a single-thread chainstitch. The feed is by synchronized cups rotating in opposite directions with individual movement. With instantaneous pushbutton stitch length adjustments, pump lubrication and chain off rollers synchronized with feed

 made in Italy



PERFORMING: everything changing by a folder...

Positioned at the entrance of the cups, the uncurling guide is intended for uncurling the fabric edges that will reach the sewing area perfectly matched and uncurled-----

* Right/Reverse automatic guide; through the knee-press control (or on demand through separate pedal) the guide is switched from its working position to stand-by position and at the same time the guide blades are opened and ready to accept the two edges of the next garment; by releasing the knee-press the guide blades are automatically closed on the garment edges and the guide is then moved to its working position.












* An additional knee-press controls the vertical movement of the guide to vary the distance between the seam and the fabric edge when sewing over existing cross seams. Right/Reverse manual guide; the switching from stand-by to working positioning and the blades opening/closing is done manually; a knee-press controls the vertical movement of the guide to vary the distance between the seam and the fabric edge when sewing over existing cross seams-----








CODE N°	DESCRIPTION	NOTES
P101626-4-11	fixed----- reverse	* Folders to be used with one of the following kits: P101736-5-00 for automatic folder and adjustable stand----- P101737-5-00 for semi-automatic folder and adjustable stand----- P101738-5-00 for automatic folder and column stand----- P101739-5-00 for semi-automatic folder and column stand----- • Wide flaps folder to improve sewing process-----
P101678-4-01	fixed----- right----	
P101681-4-01	semiautomatic- reverse	
P101715-4-00*•	semiautomatic- right----	
P101684-4-01*	semiautomatic- right----	
P101682-4-01*	automatic----- reverse	
P101670-4-01*	automatic----- right----	
P101714-4-00*•	automatic----- right----	

! **Uncurling straight guides** for knitwear produced on Cottons loom. **Uncurling reverse guides** for knitwear produced on flat knitting machines.

OUTER KNITWEAR

255 1 NEEDLE. 1 needle machine for assembling operations on full-fashion knitwear-----

MACHINE									SKETCH OF SEAM	SPECIAL CHARACTERISTICS
255-00-01	Rim155 	1/2	3,4 6,7 (6,2) (7,9)	5÷17	4 3,5	1,5	5.200	401		1 and 2 thread machine for medium&heavy knitwear (flat knitting machine gauge 5-10)-----
255-00-03	Rim155 	2	1,9 2,9	5÷17	4 3,5	1	5.200			2 thread machine for light&medium knitwear (flat knitting machine gauge 12-18)-----

 NEEDLE SYSTEM NO. OF NEEDLES GAUGE (mm)	 NUMBER OF THREAD	 SEAM-EDGE DISTANCE	 MAX STITCH LENGTH (stitch/inch)
 DISCS GAP	 DISCS PITCH	 REVOLUTIONS OF MINUTE	


Rimoldi®

 made in Italy

VEGA



FENIX



SIRIO



ALTAIR



LIBRA



Rimoldi & CF srl Corso C. Colombo, 46 21013 Gallarate ITALY -
Tel. +39 0331 75071 Fax +39 0331 750781
info@rimoldiecf.com www.rimoldiecf.com